


info@suntechnology-eg.com https://suntechnology-eg.com Phone 01040706287

FFWLCSC42

Base Product



Singlemode LC/UPC to SC/UPC, Fiber Patch Cord, 1.6 mm Duplex, Low Smoke Zero Halogen (LSZH)

Product Classification

Regional Availability

Asia | Australia/New Zealand | Europe | Latin America | Middle East

/Africa | North America

Portfolio CommScope®

Product Type Fiber patch cord, duplex

Product Brand SYSTIMAX InstaPATCH® 360

Product Series FFW

Ordering Note For lengths greater than 999 ft (304 m), orders must be in meters | Minimum length

may vary based on cable configuration

General Specifications

Connector A, quantity 2

Color, boot A Blue

Color, connector A Blue

Connector B, quantity 2

Color, boot B Blue

Color, connector B Blue

Interface, Connector A LC/UPC

Interface, Connector B SC/UPC

Jacket Color Yellow

Polarity Method B

Total Fibers, quantity 2

Dimensions

Cable Assembly Length Range (m) 1 - 999




FFWLCSC42

Cable Assembly Length Range (ft) 1 - 999

Diameter Over Jacket 1.6 mm | 0.063 in

Ordering Tree



Mechanical Specifications

Cable Retention Strength, maximum 11.24 lb @ 0 ° | 4.40 lb @ 90 °

Optical Specifications

Fiber Mode Singlemode

Fiber Type G.652.D | G.657.A1, TeraSPEED®

Environmental Specifications

Operating Temperature -10 °C to +60 °C (+14 °F to +140 °F)

Environmental Space Dual Rated LSZH/Riser

Regulatory Compliance/Certifications

Agency	Classification
ANATEL	Compliant
CHINA-ROHS	Below maximum concentration value
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system
REACH-SVHC	Compliant as per SVHC revision on www.commscope.com/ProductCompliance
ROHS	Compliant
UK-ROHS	Compliant







info@suntechnology-eg.com https://suntechnology-eg.com Phone 01040706287

FFWLCSC42

Included Products

760021675 – Fiber Indoor Cable, TeraSPEED® 1.6mm Low Smoke Zero Halogen Riser, 2-fiber Zipcord, N-002-ZC-8W-F16YL/E Singlemode G.652.D and G.657.A1, Feet jacket marking, Yellow jacket color, Eca Flame Rating

860637435 – LC/UPC Connector, Singlemode, Blue, Short Boot

860648965 – SC/UPC Connector, Singlemode, Blue

